

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((multiple <in>metadata) <and> (instance<in>metadata))<and> (relatio..."

☒ e-mail

Your search matched **5** of **1450046** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **User-directed exploration of mining space with multiple attributes**
Chang-Shing Perng; Haixun Wang; Sheng Ma; Hellerstein, J.L.;
[Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Confere](#)
9-12 Dec. 2002 Page(s):394 - 401
Digital Object Identifier 10.1109/ICDM.2002.1183931
[AbstractPlus](#) | Full Text: [PDF](#)(502 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Distributed relational decision framework for scalable enterprise systems**
Kumar, A.; Sanderson, A.C.; Graves, R.J.; Subbu, R.;
[Robotics and Automation, 2002. Proceedings. ICRA '02. IEEE International Co](#)
Volume 1, 11-15 May 2002 Page(s):775 - 780 vol.1
Digital Object Identifier 10.1109/ROBOT.2002.1013452
[AbstractPlus](#) | Full Text: [PDF](#)(671 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Multiple relational graphs mapping using genetic algorithms**
Khoo, K.G.; Suganthan, P.N.;
[Evolutionary Computation, 2001. Proceedings of the 2001 Congress on](#)
Volume 2, 27-30 May 2001 Page(s):727 - 733 vol. 2
Digital Object Identifier 10.1109/CEC.2001.934261
[AbstractPlus](#) | Full Text: [PDF](#)(488 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Representation theorems and the semantics of (semi)lattice-based logics**
Sofronie-Stokkermans, V.;
[Multiple-Valued Logic, 2001. Proceedings. 31st IEEE International Symposium](#)
22-24 May 2001 Page(s):125 - 134
Digital Object Identifier 10.1109/ISMVL.2001.924564
[AbstractPlus](#) | Full Text: [PDF](#)(856 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Handwritten Chinese character recognition by ARG matching using self-
Hopfield neural network**
Suganthan, P.N.; Yan, H.;
[Neural Networks, 1996. IEEE International Conference on](#)
Volume 3, 3-6 June 1996 Page(s):1456 - 1461 vol.3
Digital Object Identifier 10.1109/ICNN.1996.549114

[AbstractPlus](#) | [Full Text: PDF\(360 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

Indexed by
 Inspec*

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((multiple <in>metadata) <and> (instance<in>metadata))<and> (olap<..."

☒ e-mail

Your search matched 1 of **1450046** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((multiple <in>metadata) <and> (instance<in>metadata))<and> (olap<in>metada

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)



1. Answering multidimensional queries on cubes using other cubes

Theodoratos, D.; Sellis, T.;
[Scientific and Statistical Database Management, 2000. Proceedings. 12th Inter Conference on](#)

26-28 July 2000 Page(s):109 - 122

Digital Object Identifier 10.1109/SSDM.2000.869782

[AbstractPlus](#) | Full Text: [PDF\(408 KB\)](#) IEEE CNF

[Rights and Permissions](#)

Indexed by



[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((first and database<in>metadata) <and> (second and database<in>metadata))&..."

☒ e-mail

Your search matched **419** of **1450046** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(((first and database<in>metadata) <and> (second and database<in>metadata))<

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

[Select All](#) [Deselect All](#)

View: [1-25](#) | [26-5](#)

- ☐ **1. Integration of relational databases and record-based legacy systems for warehouses**
Miller, L.L.; Xin Yu; Nilakanta, S.;
[System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii Intern Conference on](#)
7-10 Jan 2002 Page(s):3033 - 3041
[AbstractPlus](#) | [Full Text: PDF\(452 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. Accessing information on demand at any location. Mobile information ac**
Satyanarayanan, M.;
[Personal Communications, IEEE \[see also IEEE Wireless Communications\]](#)
Volume 3, Issue 1, Feb. 1996 Page(s):26 - 33
Digital Object Identifier 10.1109/98.486973
[AbstractPlus](#) | [Full Text: PDF\(2048 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **3. An efficient multiversion access structure**
Varman, P.J.; Verma, R.M.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 9, Issue 3, May-June 1997 Page(s):391 - 409
Digital Object Identifier 10.1109/69.599929
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(452 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. Empirical norms as a lever for on-line support of general practice**
Warren, J.; Bolton, P.;
[System Sciences, 2001. Proceedings of the 34th Annual Hawaii International C](#)
Jan 3-6 2001 Page(s):10 pp.
[AbstractPlus](#) | [Full Text: PDF\(192 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **5. The electronic medical record (EMR) and object relational databases**
Kitney, R.I.; Forbes Dewey, C., Jr.;
[Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th A](#)
[International Conference of the IEEE](#)
Volume 3, 29 Oct.-1 Nov. 1998 Page(s):1181 - 1184 vol.3
Digital Object Identifier 10.1109/IEMBS.1998.747082

[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. SUNBURST-a network of GIC monitoring systems**
Leshner, R.L.; Porter, J.W.; Byerly, R.T.;
[Power Delivery, IEEE Transactions on](#)
Volume 9, Issue 1, Jan. 1994 Page(s):128 - 137
Digital Object Identifier 10.1109/61.277687
[AbstractPlus](#) | Full Text: [PDF\(668 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **7. Using personal bibliographic databases to keep up with the engineering**
Hill, R.J.;
[Professional Communication, IEEE Transactions on](#)
Volume 32, Issue 3, Sept. 1989 Page(s):189 - 193
Digital Object Identifier 10.1109/47.31628
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **8. Performance analysis of a concurrent file reorganization algorithm for re**
Omiecinski, E.; Liehuey Lee; Scheuermann, P.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 6, Issue 2, April 1994 Page(s):248 - 257
Digital Object Identifier 10.1109/69.277769
[AbstractPlus](#) | Full Text: [PDF\(928 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **9. Discovering relevant scientific literature on the Web**
Bollacker, K.D.; Lawrence, S.; Giles, C.L.;
[Intelligent Systems and Their Applications, IEEE \[see also IEEE Intelligent Sys](#)
Volume 15, Issue 2, March-April 2000 Page(s):42 - 47
Digital Object Identifier 10.1109/5254.850826
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1228 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **10. CyclopsDistMedDB - a transparent gateway for distributed medical data :
format**
Ribeiro, L.A.; Dellani, P.R.; von Wangenheim, A.; Richter, M.M.; Maximini, K.;
[Computer-Based Medical Systems, 2002. \(CBMS 2002\). Proceedings of the 1](#)
[Symposium on](#)
4-7 June 2002 Page(s):315 - 320
Digital Object Identifier 10.1109/CBMS.2002.1011396
[AbstractPlus](#) | Full Text: [PDF\(222 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **11. A long-term ST database for development and evaluation of ischemia del**
Jager, F.; Moody, G.B.; Taddei, A.; Antolic, G.; Emdin, M.; Smrdel, A.; Glavic,
Mark, R.G.;
[Computers in Cardiology 1998](#)
13-16 Sept. 1998 Page(s):301 - 304
Digital Object Identifier 10.1109/CIC.1998.731793
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **12. Internet access to digital medical X-rays by image features and associate**
Long, L.R.; Thoma, G.R.;
[Signals, Systems & Computers, 1998. Conference Record of the Thirty-Secon](#)
[Conference on](#)
Volume 1, 1-4 Nov. 1998 Page(s):900 - 904 vol.1

Digital Object Identifier 10.1109/ACSSC.1998.751012

[AbstractPlus](#) | [Full Text: PDF\(888 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. Extended K-d Tree Database Organization: A Dynamic Multiattribute Clus**
Jo-Mei Chang; King-Sun Fu;
[Software Engineering, IEEE Transactions on](#)
Volume SE-7, Issue 3, May 1981 Page(s):284 - 290
[AbstractPlus](#) | [Full Text: PDF\(2528 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **14. On the File Design Problem for Partial Match Retrieval**
Hung-Chang Du;
[Software Engineering, IEEE Transactions on](#)
Volume SE-11, Issue 2, Feb. 1985 Page(s):213 - 222
[AbstractPlus](#) | [Full Text: PDF\(3712 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **15. A tool shelf for tracking design decisions**
Arango, G.; Bruneau, L.; Cloarec, J.-F.; Feroldi, A.;
[Software, IEEE](#)
Volume 8, Issue 2, March 1991 Page(s):75 - 83
Digital Object Identifier 10.1109/52.73752
[AbstractPlus](#) | [Full Text: PDF\(1320 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **16. Update algorithm for replicated signaling databases in wireless and adva networks**
Leung, K.K.;
[Computers, IEEE Transactions on](#)
Volume 46, Issue 3, March 1997 Page(s):362 - 367
Digital Object Identifier 10.1109/12.580431
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(100 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **17. Data mining: an industrial research perspective**
Apte, C.;
[Computational Science and Engineering, IEEE \[see also Computing in Science\]](#)
Volume 4, Issue 2, April-June 1997 Page(s):6 - 9
Digital Object Identifier 10.1109/99.609825
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(124 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **18. Audio-visual unit selection for the synthesis of photo-realistic talking-he**
Cosatto, E.; Potamianos, G.; Graf, H.P.;
[Multimedia and Expo, 2000. ICME 2000. 2000 IEEE International Conference](#)
Volume 2, 30 July-2 Aug. 2000 Page(s):619 - 622 vol.2
Digital Object Identifier 10.1109/ICME.2000.871439
[AbstractPlus](#) | [Full Text: PDF\(408 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **19. Domain survey for counting connected hosts in the Internet**
Sato, I.; Goto, S.;
[Internet Workshop, 1999. IWS 99](#)
18-20 Feb. 1999 Page(s):175 - 181
Digital Object Identifier 10.1109/IWS.1999.811010
[AbstractPlus](#) | [Full Text: PDF\(460 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **20. Retrieval of volatile database output through hypermedia applications**
Houben, G.-J.; De Bra, P.;
System Sciences, 1999. HICSS-32. Proceedings of the 32nd Annual Hawaii International Conference on
Volume Track5, 5-8 Jan. 1999 Page(s):10 pp.
Digital Object Identifier 10.1109/HICSS.1999.772954
[AbstractPlus](#) | Full Text: [PDF](#)(120 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **21. Rural telemedicine project in northern New Mexico**
Zink, S.; Hahn, H.; Rudnick, J.; Snell, J.; Forslund, D.;
Medical Technology Symposium, 1998. Proceedings. Pacific
17-20 Aug. 1998 Page(s):119 - 124
Digital Object Identifier 10.1109/PACMED.1998.767942
[AbstractPlus](#) | Full Text: [PDF](#)(28 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **22. Diagnostic process optimisation with evolutionary programming**
Kokol, P.; Podgorelec, V.; Malcic, I.;
Computer-Based Medical Systems, 1998. Proceedings. 11th IEEE Symposium
12-14 June 1998 Page(s):62 - 67
Digital Object Identifier 10.1109/CBMS.1998.701240
[AbstractPlus](#) | Full Text: [PDF](#)(44 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **23. Using constraints to manage long duration transactions in spatial inform**
Kuo, D.; Gaede, V.; Taylor, K.;
Cooperative Information Systems, 1998. Proceedings. 3rd IFCIS International
20-22 Aug. 1998 Page(s):384 - 395
Digital Object Identifier 10.1109/COOPIS.1998.706289
[AbstractPlus](#) | Full Text: [PDF](#)(140 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **24. Case study: how to make telecom pricing strategy using data warehouse**
Seungjae Shin; Gilju Park; Wonjun Lee; Sunmi Lee;
System Sciences, 1998., Proceedings of the Thirty-First Hawaii International Conference on
Volume 6, 6-9 Jan. 1998 Page(s):55 - 60 vol.6
Digital Object Identifier 10.1109/HICSS.1998.654758
[AbstractPlus](#) | Full Text: [PDF](#)(912 KB) [IEEE CNF](#)
[Rights and Permissions](#)
- ☐ **25. Random sampling of and a scheme for reporting of malfunctions in elect**
Sweden
Nilsson, H.;
Metering and Tariffs for Energy Supply, 1999. Ninth International Conference on
No. 462)
25-28 May 1999 Page(s):143 - 145
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) [IEEE CNF](#)

View: [1-25](#) | [26-5](#)

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((tables<in>metadata) <and> (instance<in>metadata))<and> (records<...>)"

 e-mail

Your search matched 2 of 1450046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((tables<in>metadata) <and> (instance<in>metadata))<and> (records<in>metad

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **The spectrum of clipped noise**
Van Vleck, J.H.; Middleton, D.;
[Proceedings of the IEEE](#)
Volume 54, Issue 1, Jan. 1966 Page(s):2 - 19
[AbstractPlus](#) | Full Text: [PDF](#)(1552 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Volumic image analysis application bundle for UNIX workstations**
Sibomana, M.; Coppens, A.; Lonnew, M.; Gerber, B.; De Volder, A.; Blin, J.; Byars, L.;
[Nuclear Science Symposium and Medical Imaging Conference Record, 1995.](#)
Volume 3, 21-28 Oct. 1995 Page(s):1488 - 1492 vol.3
Digital Object Identifier 10.1109/NSSMIC.1995.500308
[AbstractPlus](#) | Full Text: [PDF](#)(952 KB) IEEE CNF
[Rights and Permissions](#)



☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "(((database<in>metadata) <and> (instance<in>metadata))<and> (records<in>me

☒ e-mail

Your search matched 23 of 1450046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((database<in>metadata) <and> (instance<in>metadata))<and> (records<in>me

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **BerkMin: A fast and robust SAT-solver**
Goldberg, E.; Novikov, Y.;
[Design, Automation and Test in Europe Conference and Exhibition, 2002. Proc 4-8 March 2002](#) Page(s):142 - 149
Digital Object Identifier 10.1109/DATE.2002.998262
[AbstractPlus](#) | Full Text: [PDF\(333 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Integrating the concepts and techniques of semantic modeling and the ol paradigm**
Lam, H.; Su, S.Y.W.; Alashqur, A.M.;
[Computer Software and Applications Conference, 1989. COMPSAC 89., Proce 13th Annual International](#)
20-22 Sept. 1989 Page(s):209 - 217
Digital Object Identifier 10.1109/CMPSAC.1989.65087
[AbstractPlus](#) | Full Text: [PDF\(656 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Data base recovery in shared disks and client-server architectures**
Mohan, C.; Narang, I.;
[Distributed Computing Systems, 1992., Proceedings of the 12th International C](#)
9-12 June 1992 Page(s):310 - 317
Digital Object Identifier 10.1109/ICDCS.1992.235026
[AbstractPlus](#) | Full Text: [PDF\(788 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **From databases to rule bases**
Oxman, S.W.;
[Developing and Managing Intelligent System Projects, 1993., IEEE Internation](#)
29-31 March 1993 Page(s):168 - 173
Digital Object Identifier 10.1109/DMISP.1993.248621
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **In-line statistical process control and feedback for VLSI integrated circuit**
Scher, G.; Eaton, D.H.; Ferneliüs, B.R.; Sorensen, J.; Akers, J.W.;
[Components, Hybrids, and Manufacturing Technology, IEEE Transactions on \[](#)
[Trans. on Components, Packaging, and Manufacturing Technology, Part A, B,](#)

Volume 13, Issue 3, Sept. 1990 Page(s):484 - 489
Digital Object Identifier 10.1109/33.58849

[AbstractPlus](#) | Full Text: [PDF](#)(508 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Dealing with history and time in a distributed enterprise manager**
Shvartsman, A.A.;
[Network, IEEE](#)
Volume 7, Issue 6, Nov. 1993 Page(s):32 - 42
Digital Object Identifier 10.1109/65.244792
[AbstractPlus](#) | Full Text: [PDF](#)(1372 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. A method for quantifying atrial fibrillation organization based on wave-m similarity**
Faes, L.; Nollo, G.; Antolini, R.; Gaita, F.; Ravelli, F.;
[Biomedical Engineering, IEEE Transactions on](#)
Volume 49, Issue 12, Part 2, Dec. 2002 Page(s):1504 - 1513
Digital Object Identifier 10.1109/TBME.2002.805472
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(438 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **8. Music information description by mark-up languages within DB-Web appl**
Haus, G.; Longari, M.;
[Web Delivering of Music, 2001. Proceedings. First International Conference on](#)
23-24 Nov. 2001 Page(s):71 - 78
[AbstractPlus](#) | Full Text: [PDF](#)(259 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. XML-based video annotation system for language learning environment**
Hada, Y.; Ogata, H.; Yano, Y.;
[Web Information Systems Engineering, 2001. Proceedings of the Second Inter](#)
[Conference on](#)
Volume 1, 3-6 Dec. 2001 Page(s):102 - 111 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(881 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Empirical modeling of very large data sets using neural networks**
Owens, A.J.;
[Neural Networks, 2000. IJCNN 2000. Proceedings of the IEEE-INNS-ENNS In](#)
[Conference on](#)
Volume 6, 24-27 July 2000 Page(s):302 - 307 vol.6
Digital Object Identifier 10.1109/IJCNN.2000.859413
[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Mining exception instances to facilitate workflow exception handling**
San-Yih Hwang; Sun-Fa Ho; Tang, J.;
[Database Systems for Advanced Applications, 1999. Proceedings., 6th Intern](#)
[Conference on](#)
19-21 April 1999 Page(s):45 - 52
Digital Object Identifier 10.1109/DASFAA.1999.765735
[AbstractPlus](#) | Full Text: [PDF](#)(1348 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. A fast transformation method to semantic query optimisation**
Sayli, A.; Lowden, B.;
[Database Engineering and Applications Symposium, 1997. IDEAS '97. Procee](#)
[International](#)

25-27 Aug. 1997 Page(s):319 - 326
Digital Object Identifier 10.1109/IDEAS.1997.625701
[AbstractPlus](#) | [Full Text: PDF\(588 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. Multi-valued fields and values in fuzzy querying via FQUERY for access**
Zadrozny, S.; Kacprzyk, J.;
[Fuzzy Systems, 1996., Proceedings of the Fifth IEEE International Conference](#)
Volume 2, 8-11 Sept. 1996 Page(s):1351 - 1357 vol.2
Digital Object Identifier 10.1109/FUZZY.1996.552373
[AbstractPlus](#) | [Full Text: PDF\(744 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **14. In-line statistical process control and feedback for VLSI integrated circuit**
Scher, G.; Eaton, D.H.; Fernelius, B.R.; Sorensen, J.; Akers, J.;
[Electronic Manufacturing Technology Symposium, 1989, Proceedings. Seventh International](#)
25-27 Sept. 1989 Page(s):70 - 75
Digital Object Identifier 10.1109/EMTS.1989.68953
[AbstractPlus](#) | [Full Text: PDF\(512 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **15. Schema design for a molecular biology laboratory information management**
Markowitz, V.M.; Olken, F.;
[Data and Knowledge Systems for Manufacturing and Engineering, 1989. Second Conference on](#)
16-18 Oct. 1989 Page(s):64 - 65
Digital Object Identifier 10.1109/DKSME.1989.107442
[AbstractPlus](#) | [Full Text: PDF\(144 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **16. A practical external sort for shared disk MPPs**
Li, X.; Linoff, G.; Smith, S.J.; Stanfill, C.; Thearling, K.;
[Supercomputing '93. Proceedings](#)
15-19 Nov. 1993 Page(s):666 - 675
Digital Object Identifier 10.1109/SUPERC.1993.1263521
[AbstractPlus](#) | [Full Text: PDF\(666 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **17. Database structure for plasma modeling programs**
Dufresne, M.; Silvester, P.P.;
[Plasma Science, 1993. IEEE Conference Record - Abstracts., 1993 IEEE International Conference on](#)
7-9 June 1993 Page(s):168
Digital Object Identifier 10.1109/PLASMA.1993.593472
[AbstractPlus](#) | [Full Text: PDF\(84 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **18. An experience-based approach to software project management**
Vasudevan, C.;
[Tools with Artificial Intelligence, 1994. Proceedings., Sixth International Conference](#)
6-9 Nov. 1994 Page(s):624 - 630
Digital Object Identifier 10.1109/TAI.1994.346435
[AbstractPlus](#) | [Full Text: PDF\(512 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **19. Learning to predict: INC2.5**
Hadzikadic, M.; Bohren, B.F.;
[Knowledge and Data Engineering, IEEE Transactions on](#)

- ☐ **20. A Bayesian video modeling framework for shot segmentation and content characterization**
Vasconcelos, N.; Lippman, A.;
[Content-Based Access of Image and Video Libraries, 1997. Proceedings. IEEE](#)
20 June 1997 Page(s):59 - 66
Digital Object Identifier 10.1109/IVL.1997.629721
[AbstractPlus](#) | Full Text: [PDF](#)(812 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **21. Automatic generation of synthesis units for trainable text-to-speech system**
Hon, H.; Acero, A.; Huang, X.; Liu, J.; Plumpe, M.;
[Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of International Conference on](#)
Volume 1, 12-15 May 1998 Page(s):293 - 296 vol.1
Digital Object Identifier 10.1109/ICASSP.1998.674425
[AbstractPlus](#) | Full Text: [PDF](#)(436 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **22. Applying semantic data modeling techniques to large mass storage systems**
Roelofs, L.H.; Campbell, W.J.;
[Mass Storage Systems, 1990. 'Crisis in Mass Storage'. Digest of Papers., Ten Symposium on](#)
7-10 May 1990 Page(s):65 - 76
Digital Object Identifier 10.1109/MASS.1990.113571
[AbstractPlus](#) | Full Text: [PDF](#)(940 KB) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **23. Strange bedfellows: issues in object naming under Unix**
Orr, D.B.; Mecklenburg, R.W.; Kuramkote, R.;
[Object Orientation in Operating Systems, 1993., Proceedings of the Third International Workshop on](#)
9-10 Dec. 1993 Page(s):141 - 145
Digital Object Identifier 10.1109/IWOOS.1993.324918
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) [IEEE CNF](#)
[Rights and Permissions](#)

❑ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((database<in>metadata) <and> (delete<in>metadata))<and> (records<...>)"

Your search matched 9 of 1450046 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

✉ e-mail

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

(((database<in>metadata) <and> (delete<in>metadata))<and> (records<in>meta

Search

❑ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

view selected items

[Select All](#) [Deselect All](#)

IEEE JNL IEEE Journal or Magazine
IEE JNL IEE Journal or Magazine
IEEE CNF IEEE Conference Proceeding
IEE CNF IEE Conference Proceeding
IEEE STD IEEE Standard

- ❑ **1. Efficient bulk deletes in relational databases**
Gartner, A.; Kemper, A.; Kossmann, D.; Zeller, B.;
[Data Engineering, 2001. Proceedings. 17th International Conference on](#)
2-6 April 2001 Page(s):183 - 192
Digital Object Identifier 10.1109/ICDE.2001.914827
[AbstractPlus](#) | Full Text: [PDF\(860 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ❑ **2. Maintenance of sequential patterns for record deletion**
Ching-Yao Wang; Tzung-Pei Hong; Shian-Shyong Tseng;
[Data Mining, 2001. ICDM 2001. Proceedings IEEE International Conference on](#)
29 Nov.-2 Dec. 2001 Page(s):536 - 541
Digital Object Identifier 10.1109/ICDM.2001.989562
[AbstractPlus](#) | Full Text: [PDF\(575 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ❑ **3. Database Machines: An Introduction**
Langdon, G.G., Jr.;
[Computers, IEEE Transactions on](#)
Volume C-28, Issue 6, Jun 1979 Page(s):381 - 383
[AbstractPlus](#) | Full Text: [PDF\(472 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ❑ **4. Implicit deregistration in a PCS network**
Yi-Bing Lin; Noerpel, A.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 43, Issue 4, Nov. 1994 Page(s):1006 - 1010
Digital Object Identifier 10.1109/25.330163
[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ❑ **5. An efficient multiversion access structure**
Varman, P.J.; Verma, R.M.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 9, Issue 3, May-June 1997 Page(s):391 - 409
Digital Object Identifier 10.1109/69.599929

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(452 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **6. A novel deregistration strategy for mobile networks**
Zuji Mao; Douligieris, C.;
[Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd](#)
Volume 6, 24-28 Sept. 2000 Page(s):2750 - 2754 vol.6
Digital Object Identifier 10.1109/VETECF.2000.886820
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. Remote access to medical records via the Internet: feasibility, security and considerations**
Lees, P.J.; Chronaki, C.E.; Simantirakis, E.N.; Kostomanolakis, S.G.; Orphano Vardas, P.E.;
[Computers in Cardiology 1999](#)
26-29 Sept. 1999 Page(s):89 - 92
Digital Object Identifier 10.1109/CIC.1999.825913
[AbstractPlus](#) | Full Text: [PDF](#)(348 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. A design and implementation of savepoints and partial rollbacks considering isolation levels of SQL2**
Sun Hwan Kim; Mi Suk Jung; Jun Hyun Park; Young Chul Park;
[Database Systems for Advanced Applications, 1999. Proceedings., 6th International](#)
19-21 April 1999 Page(s):303 - 312
Digital Object Identifier 10.1109/DASFAA.1999.765764
[AbstractPlus](#) | Full Text: [PDF](#)(348 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Implicit deregistration in a PCS network**
Yi-Bing Lin; Noerpel, A.;
[Communications, 1994. ICC 94, SUPERCOMM/ICC '94, Conference Record, 1994](#)
[Through Communications. IEEE International Conference on](#)
1-5 May 1994 Page(s):187 - 191 vol.1
Digital Object Identifier 10.1109/ICC.1994.368998
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2006 IEEE – All Rights Reserved



Fri, 29 Dec 2006, 11:56:42 AM EST

Search Query Display

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|------------|--|
| <u>#1</u> | (((multiple<in>metadata) <and> (instance<in>metadata))
<and> (relational<in>metadata)) <and> (pyr >= 1950 <and>
pyr <= 2002) |
| <u>#2</u> | (((multiple<in>metadata) <and> (instance<in>metadata))
<and> (relational<in>metadata)) <and> (pyr >= 1950 <and>
pyr <= 2002) |
| <u>#3</u> | (((multiple<in>metadata) <and> (instance<in>metadata))
<and> (olap<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#4</u> | (((multiple<in>metadata) <and> (instance<in>metadata))
<and> (olap<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#5</u> | (((database<in>metadata) <and> (instance<in>metadata))
<and> (olap<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#6</u> | (((star<in>metadata) <and> (instance<in>metadata))<and>
(olap<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#7</u> | (((tables<in>metadata) <and> (instance<in>metadata))
<and> (olap<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#8</u> | (((tables<in>metadata) <and> (instance<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002) |
| <u>#9</u> | (((database<in>metadata) <and> (instance<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002) |
| <u>#10</u> | (((database<in>metadata) <and> (instance<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002) |
| <u>#11</u> | (((database<in>metadata) <and> (delete<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002) |
| <u>#12</u> | (((database<in>metadata) <and> (delete<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002) |

#13 (((database<in>metadata) <and> (delete<in>metadata))
<and> (records<in>metadata)) <and> (pyr >= 1950 <and> pyr
<= 2002)

#14 (((tables<in>metadata) <and> (delete<in>metadata))<and>
(records<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

#15 (((create<in>metadata) <and> (delete<in>metadata))<and>
(records<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

#16 (((first and database<in>metadata) <and> (second and
database<in>metadata))<and> (records<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002)

#17 (((first and database<in>metadata) <and> (second and
database<in>metadata))<and> (records<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002)



Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 multiple instances database tables

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 1,110,000 for **2002 multiple instances database tables**. (0.22 seconds)**[Paper] Applying Multiple Instances and Matching Algorithm in Face ...**

But, in this paper we apply **multiple instances** (capturing **multiple** impressions ... same eigenface feature vector, the performance of our **multiple 3 Table 1**. ...

www.actapress.com/PDFViewer.aspx?paperId=27851 - [Similar pages](#)

Title Index

What Makes the Differences: Benchmarking XML **Database** Implementations · What the Geeks Know: ... XML-SQL: An XML Query Language Based on SQL and Path **Tables** ... dret.net/biblio/titles - 968k - [Cached](#) - [Similar pages](#)

Method for maintaining information about multiple instances of an ...

Challenges associated with maintaining information about **multiple instances** of an activity are addressed. Separate **database tables** are maintained for data ...

www.freepatentsonline.com/20050071341.html - 69k - [Cached](#) - [Similar pages](#)

F. Scott Barker's Microsoft® Access 2002 Power Programming - \$39.99

Working with **Tables**. 6. Using XML with Access **2002**. Getting to Know XML. Working with XML with the Access ... Managing **Multiple Instances** of the Same Form. ...

www.informit.com/title/0672321025 - 31k - [Cached](#) - [Similar pages](#)

XML.com: Normalizing XML, Part 1

The problem can be seen in the sample **database** Listings1.xml. Some contacts are listed for **multiple** units, and all their information is repeated over and ...

www.xml.com/pub/a/2002/11/13/normalizing.html - 37k - [Cached](#) - [Similar pages](#)

Increased oil import to Japan - PAJ - Intertanko

Year **2002** · Round **Table** letter to the President of the European Union The members of INTERTANKO support ... Tanker Management and Self Assesment **database** ...

<https://www.intertanko.com/templates/intertanko/issue.aspx?id=35730> - 455k -

[Cached](#) - [Similar pages](#)

Multiple instances of news module? :: pnCommunity :: Support at ...

You'll need to change a lot of functioncalls and the **database tables**. ... Configuration, & Upgrades :: **Multiple instances** of news module? ...

community.postnuke.com/module-Forum-viewtopic-topic-10410-start-0.htm - 33k -

[Cached](#) - [Similar pages](#)

D2R MAP - A Database to RDF Mapping Language

To create **instance** URIs, patterns and value substitution **tables** can be used. ... **Multiple** values of a single property can be put in rdf:bag, rdf:bag or ...

www2003.org/cdrom/papers/poster/p004/p4-bizer.html - 13k - [Cached](#) - [Similar pages](#)

ewbi.develops: Multiple Instances of an Access Form

The sample **database** contains a simple **table** and two forms. ... You should note that once you have **multiple instances** of the same form open, the Access Forms ...

ewbi.blogs.com/develops/2003/09/multiple_instan.html - 32k - [Cached](#) - [Similar pages](#)

[PDF] D2R MAP – A Database to RDF Mapping Language

File Format: PDF/Adobe Acrobat - [View as HTML](#)

and publications can be written by **multiple** authors, the informa- tion would typically be

stored in three **database tables**: One for the ...
sites.wiwi.fu-berlin.de/suhl/bizer/d2rmap/www2003-D2R-Map.pdf - [Similar pages](#)

News archive results for 2002 multiple instances database tables



- 2002 » [Synchronizing Java threads on a shared resource with ...](#) - \$9.95 - Java Developer's Journal
- 2002 » [Acrobat Distiller, Job 2](#) - \$49.00 - Forrester Report
- 2002 » [Computer Associates eTrust Single Sign-On \(SSO\)](#) - \$95.00 - GARTNER GROUP'S DATAQUEST

Google Groups results for 2002 multiple instances database tables



- [Why are copies of MDE FE's considered best Access 2002 ...](#) - microsoft.public.access - Jan 26, 2004
- [Question for DBA who do both Oracle and DB2](#) - comp.databases.oracle.server - Oct 5, 2002
- [Multiple Users and Citrix Products](#) - microsoft.public.access.multipu ... - Feb 27, 2002

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>	▼		Search ▾		377 blocked		Check ▾		Autolink ▾		Autofill
----------	----------------------	---	--	----------	--	-------------	--	---------	--	------------	--	----------

2002 multiple instances database ta	Search
-------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 multiple instances database tables

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 21 - 30 of about 1,110,000 for **2002 multiple instances database tables**. (0.07 seconds)**[PDF] Domain-specific information extraction structures - Database and ...**

File Format: PDF/Adobe Acrobat

Multiple instances of a document with similar content. are integrated using an XML parser and ... headings to infer home and away players and **table** co- ...

ieeexplore.ieee.org/iel5/8104/22410/01045880.pdf - [Similar pages](#)

First normal form - Wikipedia, the free encyclopedia

2 1NF in the context of relational **database tables**. 2.1 **Multiple** ... More precisely, it can only ever contain a single **instance** of the data type to which ...

en.wikipedia.org/wiki/1NF - 26k - [Cached](#) - [Similar pages](#)

Community - Install multiple instances of the same product

praidu. 10-24-2002, 03:46 PM. My setup has more than 10 features and there is a need to allow the user to install **multiple instances** of the same product. ...

community.macrovision.com/archive/index.php?t-104890.html - 10k -

[Cached](#) - [Similar pages](#)

Rob Brooks-Bilson's Blog - Database

Earlier in the day, we added a new column to one of the **database tables** used by ... a new development box running **multiple instances** of ColdFusion MX 6.1. ...

www.brooks-bilson.com/blogs/rob/rss.cfm?mode=full&mode2=cat&catid=C2056CCE-D608-AED8-7C63AE4F91756ED2 - 21k - [Cached](#) - [Similar pages](#)

Microsoft FrontPage Tips and Tricks

The **Database** Interface Wizard in Microsoft FrontPage® version 2002 generates ... They include such things as launching **multiple instances** of FrontPage and ...

www.microsoftfrontpage.com/content/TipsAndTricks/TipsAndTricks.htm - 56k -

[Cached](#) - [Similar pages](#)

[PS] SVM-Based Generalized Multiple-Instance Learning via Approximate ...File Format: Adobe PostScript - [View as Text](#)

The top two rows of **Table 1** summarize the prediction error of our algorithm ("k ... (2002).

Multiple-instance learning of real-valued data. ...

www.cse.unl.edu/~vinod/papers/icml04Final.ps - [Similar pages](#)

[PS] Supervised versus Multiple Instance Learning: An Empirical ComparisonFile Format: Adobe PostScript - [View as Text](#)

urally handle the **multiple instance** representation. In. our experiments, we apply FOIL to **instances** described. in a single **table** of attribute-value pairs. ...

www.cs.wisc.edu/~sray/papers/sup_vs_mi.icml05.ps - [Similar pages](#)

tutorials-blog.com >> paradox >> Multiple instances

Hello, I'm running **multiple instances** of Paradox, opening a new **instance** from ...

Unexpected Condition (again) Hi, I keep having a problem with a **table**. ...

www.tutorials-blog.com/paradox/Multiple-instances/ - 55k - [Cached](#) - [Similar pages](#)

LISA 2002 - 16th Systems Administration Conference - Paper

Table 1 summarizes the advantages and disadvantages of the open-source tools we ... For **instance**, **multiple instances** of the RTG poller could be distributed ...

www.usenix.org/events/lisa02/tech/beverly/beverly_html/index.html - 39k -

[Cached](#) - [Similar pages](#)

Query Module Tags – ExpressionEngine Documentation

If you are pulling dates out of an ExpressionEngine **database table**, ... **Multiple instances** of the {switch=} tag may be used and the system will ...

eedocs.pmachine.com/modules/query/index.html - 11k - [Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 data records fields olap multiple instance

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 64,400 for **2002 data records fields olap multiple instances** . (0.34 seconds)**Method for maintaining information about multiple instances of an ...**

At any particular time, that business may have **multiple instances** of the activity (i.e., ... At blocks 2 and 3, additional **data** is input for **record fields** ...

www.freepatentsonline.com/20050071341.html - 69k - [Cached](#) - [Similar pages](#)

Maintaining time-sorted aggregation records representing ...

A method for aggregating **data** from **multiple records** of a database in order to summarize information about **multiple instances** of an organizational activity, ...

www.freepatentsonline.com/7149736.html - 88k - [Cached](#) - [Similar pages](#)

About OLAP source data in PivotTable and PivotChart reports ...

Renamed **fields** and items For **OLAP** source **data**, renamed **fields** and items (item: A subcategory of a **field** in PivotTable and PivotChart reports. For **instance** ...

office.microsoft.com/en-us/excel/HP052389601033.aspx?pid=CH010004411033 - 57k - [Cached](#) - [Similar pages](#)

Microsoft Data Access Components - Wikipedia, the free encyclopedia

In a **Record** object, a **Field** can be an absolute or relative URL that points into a ... **multiple** client **instances** of Oracle; nested outer joins ...

en.wikipedia.org/wiki/Microsoft_Data_Access_Components - 115k - [Cached](#) - [Similar pages](#)

[Paper] A Peculiar Business Intelligence Application: OLAP Applied ...

They cannot run their own queries, and even though the **fields** related to every ... When you talk about **OLAP**, you normally think of business **data** (money, ...

www.actapress.com/PDFViewer.aspx?paperId=16555 - [Similar pages](#)

[PDF] 111-29: Developing Data Marts and Web-Enabled OLAP for Actuarial ...

File Format: PDF/Adobe Acrobat

relevant **fields** from customer **records**, using lookup tables to add additional ... which includes **multiple** set statements – one for the customer **records data** ...

www2.sas.com/proceedings/sugi29/111-29.pdf - [Similar pages](#)

OLAP Related Features in Microsoft Excel 2002 and the Microsoft ...

For example, in a PivotTable connected to an **OLAP data** source, you can select **multiple** page **field** items. Page **fields** allow you to filter the entire ...

msdn.microsoft.com/library/en-us/dnexcel2k2/html/odc_XLOWCOlap.asp - 54k - [Cached](#) - [Similar pages](#)

ExcelUser -- Using External Data with Excel

How to transfer XML **Data** to Microsoft Excel 2002 by Using Visual Basic Therefore, Excel cannot accept **data** with more than 256 **fields** per **record** on a ...

www.exceluser.com/help/ext/long001.htm - 39k - [Cached](#) - [Similar pages](#)

UofT Department of Computer Science Ph.D. Theses 2001-02

Aggregate Navigation over Structurally Heterogeneous **OLAP Data** , Carlos A. Hurtado ...

Date:, January 2002. Title:, The Design and Evaluation of **Multiple** ...


www.cs.toronto.edu/DCS/Grad/Theses/01-02PhD.html - 28k - [Cached](#) - [Similar pages](#)

List of issues in Excel 2002 that are fixed by Office XP Service ...

If you use a **OLAP** source for pivot table in Excel 2002, your call to the ... and the **data** is







larger than the maximum bytes that can fit in a **record**, ...
support.microsoft.com/kb/836031 - [Similar pages](#)

Google Groups results for **2002 data records fields olap multiple instances**

 [COM skool](#) - [uk.community.social-housing](#) - Jun 22, 2005
[FW: ARSLIST Digest - 4 Jun 2002 to 5 Jun 2002 \(#2002-176 ...](#) - [Remedy ARS](#) - Dec 11, 2004
[SQL - and COM rematch](#) - [comp.lang.misc](#) - Jun 16, 2005

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>	▼	 Search ▾		 377 blocked	 Check ▾	 AutoLink ▾	 AutoFill
----------	----------------------	---	--	---	---	---	--	--

2002 data records fields olap multipl	Search
---------------------------------------	------------------------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[2002 data records fields olap multiple instance](#)[Search](#)[Advanced Search](#)
[Preferences](#)

Web Results 11 - 20 of about 64,400 for **2002 data records fields olap multiple instances** . (0.10 seconds)

[OLAP Miner User's Guide - Appendix C. OLAP Miner client and server ...](#)

Explanation: **OLAP** Miner did not find deviations in the **data** that you selected in your definition ... Explanation: **Multiple instances** of a member were found. ...

[www-306.ibm.com/software/data/db2/db2olap/v81docs/miner/ommessages.htm](#) - 71k -

[Cached](#) - [Similar pages](#)

[Curlingstone Publishing](#)

Data Record – Identifiable set of **data** values or **fields** treated as a Unit. ... Redundancy – The storage of **multiple** copies of identical **instances** of a thing ...

[www.curlingstone.com/7002/7002glossary.html](#) - 62k - [Cached](#) - [Similar pages](#)

[\[PDF\] Data Mining Analytics for Business Intelligence and Decision Support](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

attribute (database **field**) based upon the other attributes (**fields**) in the **data**), clustering (also. known as segmentation, which groups **data records** into ...

[www.research.ibm.com/dar/papers/pdf/orms2.pdf](#) - [Similar pages](#)

[\[PDF\] BUILDING OLAP TOOLS OVER LARGE DATABASES](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For **instance** by using slice and dice. in an **OLAP** Tool, the user can retrieve **multiple data** (attributes from tables), from different hierarchies and ...

[www.iadis.org/Multi2006/Papers/16/S024_DS.pdf](#) - [Similar pages](#)

[Unfiled Building Microsoft BizTalk Server 2002 Solutions Training ...](#)

Exercise 3: Setting Properties of **Records** and **Fields**. Exercise 4: Saving the Specification and Storing it to WebDAV. Exercise 5: Creating an XML **Instance** ...

[www.training-classes.com/course_hierarchy/](#)

[courses/7927_building_microsoft_biztalk_server_2002_solutions.php](#) - 54k -

[Cached](#) - [Similar pages](#)

[Using Microsoft Excel 2002 with SQL Server Analysis Services ...](#)

In Excel **2002** for **OLAP**-based **data** sources, you can now define a custom aggregate of **multiple** items in the page **field**, and there is a new user interface for ...

[msdn.microsoft.com/library/en-us/dnexcl2k2/html/odc_xlsq.asp?frame=true](#) - 48k -

[Cached](#) - [Similar pages](#)

[Online Analytical Processing \(OLAP\): A Fast and Effective Data ...](#)

For **instance** **OLAP** found trehalose-6-phosphate synthase (TPS) induced at the mid ...

data: a robust composite method addressing single and **multiple** slide ...

[www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1184053](#) - [Similar pages](#)

[\[PPT\] Machine Learning Yike Guo Dept. of Computing Imperial College](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

It integrates **data** from **multiple** heterogeneous sources to support the ... **OLAP** view: multidimensional and logic presentation of the **data** in the **data** ...

[www.homes.doc.ic.ac.uk/~yg/course/ida2002/ida-2002-1.ppt](#) - [Similar pages](#)

[\[PDF\] EXTENDING GROUPWARE FOR OLAP](#)

File Format: PDF/Adobe Acrobat

(Cody, **2002**), a prototype **OLAP** toolkit used in the. project. ... flat structure of **fields** that

hold **data** values. For. **instance**, a calendar event is a stored ...
www.springerlink.com/index/r717524nq59h1m36.pdf - [Similar pages](#)

[Default Safari Online - 078972510X - Special Edition Using ...](#)

Most programming languages support a user-defined **record** or structure **data** type that can contain **multiple data** types within it. **Field data** types, which ...
safari5.bvdep.com/078972510X/d1e205185 - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 reducing size database table instances

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 1,030,000 for **2002 reducing size database table instances**. (0.27 seconds)

Database Deployment Techniques in Real Application Clusters

Your block **size** should be at least 8K if your **database** is used primarily for processing ...

Queue **table instance** affinity enables you to assign primary and ...

www.lc.leidenuniv.nl/awcourse/oracle/rac.920/a96598/design.htm - 26k -

[Cached](#) - [Similar pages](#)

Scalability for Microsoft Project Central: Microsoft Project 2002

Appendix B: Tuning **Database Tables** to Allow More Concurrent Users. This appendix describes how to modify the Microsoft Project Central **database** to **reduce** ...

www.microsoft.com/technet/prodtechnol/project/project2000/plan/prjscale.mspx - 52k -

[Cached](#) - [Similar pages](#)

Use a large database block size

Because the **database** block **size** is fixed at **database** creation, this is one decision ... It can also **reduce** the cost of index based access to these **tables**, ...

www.ixora.com.au/tips/block_size.htm - 12k - [Cached](#) - [Similar pages](#)

FIX: Concurrency enhancements for the tempdb database

From the sysprocesses system **table** output, the waitresource may show up as "2:1:1" ... a SQL Server 7.0 **database** backup on an **instance** of SQL Server 2000 ...

support.microsoft.com/kb/328551 - [Similar pages](#)

[PDF] DLDB: Extending Relational Databases to Support Semantic Web Queries

File Format: PDF/Adobe Acrobat - [View as HTML](#)

be the **table** containing explicit **instances** of class x ... In order to shrink the **size** of **database** and hence **reduce** the average query time, we assign each ...

www.cse.lehigh.edu/~heflin/pubs/psss03-poster.pdf - [Similar pages](#)

Advanced DBA Certification Guide and Reference for DB2® Universal ...

Some Terminology Used in DB2. The Default **Database**. **Table** Spaces. Containers. ...

Configuration of Multiple DB2 **Instances**. High Availability on HP/UX. ...

www.informit.com/title/0130463884 - 38k - [Cached](#) - [Similar pages](#)

[PDF] Clustering Techniques

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Object pooling is a type of clustering that puts all **instances** of a certain type ... can greatly **reduce** the **database size**. Smaller **database size**, fewer page ...

www.progress.com/realtime/docs/whitepapers/clustering_techniques.pdf - [Similar pages](#)

tutorials-blog.com >> delphi >> Help reducing object instance size

I know I could do the entire **database** project (in Delphi) myself, even having to ... Help **reducing** object **instance size** Hi, I would like to get some tips in ...

www.tutorials-blog.com/delphi/Help-reducing/ - 143k - [Cached](#) - [Similar pages](#)

[PDF] The Instance Store: DL Reasoning with Large Numbers of Individuals

File Format: PDF/Adobe Acrobat - [View as HTML](#)

database tables, and optimisations such as the use of equivalence sets are not considered. 1 **Instance** Store. Description Logics are a family of knowledge ...

www.cs.man.ac.uk/~horrocks/Publications/download/2004/HLTB04a.pdf - [Similar pages](#)

Oracle :: General Info

In general, each doubling of the **database** block **size** will **reduce** the time ... without shutting down your Oracle **instance** by using the ALTER SESSION command. ...
vsbabu.org/oracle/sect01.html - 29k - [Cached](#) - [Similar pages](#)

News archive results for **2002 reducing size database table instances**



2002 » [National Public Radio: ANALYSIS: FARM BILL](#) - \$3.95 - National Public Radio

2002 » [The 11 paths to business failure; a cautionary tale ...](#) - \$9.95 - Builder

Google Groups results for **2002 reducing size database table instances**



[Clustering has no effect ?](#) - microsoft.public.sqlserver.ser ... - Feb 22, 2002

[Oracle versus MS Sqlserver 2000: Technical ...](#) - comp.databases.ms-sqlserver - Mar 11, 2003

[Does this group need a FAQ?](#) - microsoft.public.money - Mar 16, 2002

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 tuning database records

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 961,000 for **2002 tuning database records**. (0.14 seconds)[Site Search | Oracle FAQ](#)**Database tuning:** appending **records** via an ODBC connection is slow · Open in New ...Help: with **tuning database** From: Richard Foote Date: Fri, 12 Jul 2002 ...orafaq.com/search?page=3&keys=**database**+and+**tuning**+not+optimizer - 22k -[Cached](#) - [Similar pages](#)[Site Search | Oracle FAQ](#)Re: **Database tuning:** appending **records** via an ODBC connection is slow ... and 9i**database** performance **tuning** From: godmann Date: 13 May 2002 19:59:43 -0700 ...orafaq.com/search?page=5&keys=**database**+and+**tuning**+not+optimizer - 22k -[Cached](#) - [Similar pages](#)[15-823 Hot Topics in Database Systems](#)Self-**tuning Database** Technology and Information Services: from Wishful Thinking to Viable Engineering, Proceedings of the VLDB conference, August 2002 ...

www.cs.cmu.edu/~natassa/courses/15-823/F05/readings.html - 18k -

[Cached](#) - [Similar pages](#)[\[PPT\] Data and Database Administration](#)File Format: Microsoft Powerpoint - [View as HTML](#)Lock all **records** required at the beginning of a transaction; Two-phase locking ... Prentice Hall, 2002. **Database Performance Tuning**. DBMS Installation ...information.utep.edu/mmahmood/cis4365/slides/CHAP12.ppt - [Similar pages](#)[SQL Server: Tuning Database Design > Partitioning Large Tables](#)A poorly structured **database** can be a huge drain on your resources. ... Datatype sizing:

Posted Jul 29, 2002 06:02 AM by rbut1001: 1 Replies ...

www.informit.com/articles/article.asp?p=27852&seqNum=6 - 21k - [Cached](#) - [Similar pages](#)[New Products, October 2002](#)Correct Invalid **Database Records** Crystal Software announced DataPipe 2.4, software that ... Hundreds of free SQL Server performance **tuning** tips & articles. ...www.sqlmag.com/Article/ArticleID/26249/sql_server_26249.html - [Similar pages](#)[Tuning SANs with Solid State Disks - August 2002 - article on ...](#)Usage in **database** environments was slower in coming as the average **record** size in many databases tends to be much smaller, not uncommonly 2k blocks, ...www.storagesearch.com/imperial-art1.html - 22k - [Cached](#) - [Similar pages](#)[MySQL Articles](#)Hauser explains how to make the most of **tuning** opportunities. ... John Paul Ashenfelter shows you how to combine **database records** into a single **record** to ...www.onlamp.com/onlamp/general/mysql.csp - 42k - Dec 27, 2006 - [Cached](#) - [Similar pages](#)[SQL Server Performance Tuning Database Tips](#)Learn how to performance **tune** and optimize your Microsoft SQL Server 6.5, ... When you delete a **record**, MS SQL Server 6.5 writes in the appropriate cell a ...www.sql-server-performance.com/ac_65_data_structure.asp - 35k - [Cached](#) - [Similar pages](#)[JDBC batching performance tips](#)

Weblogic JDBC **tuning** (Page last updated April 1999, Added 2001-03-21, ... the developer has no control over the access/locking sequence to **database records**. ...
www.javaperformancetuning.com/tips/jdbc_batching.shtml - 23k - [Cached](#) - [Similar pages](#)

News archive results for 2002 tuning database records



2002 » [Oracle9i Database](#) - Subscription - PC Magazine

2002 » [Man Utd's hi-tech answer to injuries](#) - BBC Sport

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>	<input type="button" value="G"/>	Search ▾		377 blocked		Check ▾		AutoLink ▾		AutoFill
----------	----------------------	----------------------------------	----------	--	-------------	--	---------	--	------------	--	----------

2002 tuning database records	<input type="button" value="Search"/>
------------------------------	---------------------------------------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 tuning database records

[Search](#)[Advanced Search](#)
[Preferences](#)

WebResults **21 - 30** of about **961,000** for **2002 tuning database records**. (0.08 seconds)**QUEST SOFTWARE FIRST TO DELIVER "RECORD AND PLAYBACK" FOR ORACLE ...**

Quest Central integrates the key components that **database** administrators need to complete ... **SQL Tuning**, **Database** Administration and Live Space Management. ...

[www.quest.com/news/show.aspx?ContentId=17&](http://www.quest.com/news/show.aspx?ContentId=17&ContentTypeId=2&site=&prod=&technology=)

[ContentTypeId=2&site=&prod=&technology=](#) - 37k - [Cached](#) - [Similar pages](#)

DATABASE DEBUNKINGS -- 2002 WEEKLY QUOTES

The input to this tool is conceptually a "worksheet" of rows (**records**) and ... users will access data -- important information for **tuning your database**. ...

www.dbdebunk.com/quotes2002.html - 45k - [Cached](#) - [Similar pages](#)

Palm - Software Connection

(5/11/2002) Password Protection of patient **records** enabled. ... 8.1 (11/10/2001) -

Improved **Database** access 400 plus **records** and Find Enabled on EXE ...

software.palm.com/us/html/display_palm_product.jsp?id=prod580666 - 55k -

[Cached](#) - [Similar pages](#)

SQL Server Performance Tuning Database Tips

3503, Indicates whether the checkpoint at the end of automatic recovery was skipped for a **database** (this applies only to read-only databases). 3602, **Records** ...

www.sql-server-performance.com/rd_traceflags.asp - 38k - [Cached](#) - [Similar pages](#)

[PDF] Performance Tuning in the MacauMap Mobile Map Application

File Format: PDF/Adobe Acrobat

national Telecommunication Union reported that by **2002**, ... lated to roads into separate **database records**. Thus there is. a road index **record** consisting of ...

ieeexplore.ieee.org/iel5/9966/32022/01488976.pdf?arnumber=1488976 - [Similar pages](#)

Homepage: Gerhard Weikum (Max-Planck-Institut für Informatik)

Rethinking **Database** System Architecture: Towards a Self-Tuning RISC-Style ... SIGMOD

Record 34(1): 63-69, 2005. Stefan Siersdorfer, Gerhard Weikum: Using ...

www.mpi-sb.mpg.de/~weikum/ - 24k - [Cached](#) - [Similar pages](#)

UT ML Group: Record Linkage & Duplicate Detection

Record linkage is the process of identifying **database records** that are ... function or selecting a set of predicates, followed by hand-tuning of parameters. ...

www.cs.utexas.edu/users/ml/publication/rl-abstracts.html - 24k - [Cached](#) - [Similar pages](#)

Adobe - ColdFusion TechNote : ColdFusion Performance Tuning

Depending on your application you may need a more powerful **database**. If you have a million **records** in an MS Access file you may need to upgrade to a more ...

www.adobe.com/cfusion/knowledgebase/index.cfm?id=tn_17054 - 41k -

[Cached](#) - [Similar pages](#)

DB2 Tuning Tips for OLTP Applications

Monitoring and **tuning database** configuration parameters ... **database** shared memory to use as a buffer for log **records** before writing these **records** to disk. ...

www-128.ibm.com/developerworks/db2/library/techarticle/anshum/0107anshum.html - 101k

- [Cached](#) - [Similar pages](#)

This site will be shut off on or around December 1st. We believe ...
I'll give some tips & hints about **database tuning**, I mean, your **database** model, ... Now
you have the table query_spy full of **records**, with very good ...
techdocs.postgresql.org/techdocs/pgsqldb**tuning**.php - 39k - [Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

2002 first table record creating deleted records

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about **954,000** for **2002 first table record creating deleted records**. (0.26 seconds)**[PDF] Module 5 - Database Module Goals**File Format: PDF/Adobe Acrobat - [View as HTML](#)Navigate within a **table** to next **record**, previous **record**, **first record**, ... **Create** and save a form. 5.3.1.3. Use a form to enter, modify, **delete records**. ...[www2.icdlus.com/icdlus-lms-webclient/homepage/downloads/syllabus5.pdf](#) - [Similar pages](#)**[PDF] Access 2002**File Format: PDF/Adobe Acrobat - [View as HTML](#)**Record** button on the toolbar, or select Edit → **Delete Record** from the ... bar and double-click the **Create table** in Design view icon. Type a ...[nsit.uchicago.edu/it-training/reference/Access%202002.pdf](#) - [Similar pages](#)**ACC2002: Trigger Returns an Error That User Has Deleted Record or ...**When you try to **delete** a **record** from a **table** that contains a trigger ... In the New Query dialog box, click **Create Text Stored Procedure**, and then click OK. ...[support.microsoft.com/kb/275064](#) - [Similar pages](#)**#Deleted is displayed in the records when you open a linked ODBC ...**When you open a linked ODBC **table** from an Oracle 10g database in Access 2003, in Access **2002**, or in Access 2000, **#Deleted** is displayed in the **records**. ...[support.microsoft.com/kb/913070](#) - [Similar pages](#)**DaDaBIK \.-./ - DaDaBIK is a DataBase Interfaces Kreator ...**DaDaBIK starts now displaying the **records** of the **first table** available, ... "**Delete** all" feature is now available: it is possible to **delete** all the current ...[www.dadabik.org/index.php?function=show_changelog](#) - 43k - [Cached](#) - [Similar pages](#)**Computerized Farm Record Keeping with Quicken® 2002****Creating Your First Data Folder and File.** Go to menu bar and Click File, ... The DATA folder is where the file containing your **record** data will be saved. ...[ohioline.osu.edu/b897/b897_9.html](#) - 7k - [Cached](#) - [Similar pages](#)**Delete Multiple Records Using Checkboxes... - Dreamweaver MX and ...****First create** the recordset rsProducts using UD's recordset behaviour, ... Once it has **deleted** all the **records** you selected, it redirects you back to your ...[www.dmxzone.com/go?3369](#) - 51k - [Cached](#) - [Similar pages](#)**Access 2002 for Visual Learners****Create** a new database; **Create tables**; **Create records**; **Create forms**; **Create queries** ...Find duplicate **records**; **Create Update queries**; **Create Delete queries** ...[visibooks.com/access02.html](#) - 6k - [Cached](#) - [Similar pages](#)**Dummies::Creating a Primary Key in Access 2002**If the **first** field is an AutoNumber type, Access **2002** anoints it as the primary key without ... The primary key automatically sorts **records** in the **table**. ...[www.dummies.com/WileyCDA/DummiesArticle/id-291.html?cid=RSS_DUMMIES_COMPUTING](#) - 45k - [Cached](#) - [Similar pages](#)**Microsoft SQL Server - Deleting Duplicate Records - SQLTeam.com**

It has duplicate **records**. The duplicate **records** have to be **deleted** (eg ... I use this script to **create** a **table** called dup_authors in the pubs database. ...
www.sqlteam.com/item.asp?ItemID=3331 - 19k - [Cached](#) - [Similar pages](#)






Google Groups results for 2002 first table record creating deleted records



[SQL Server with Access2000: Unique identifier and ...](#) - microsoft.public.sqlserver.pro ... - Dec 21, 2005
[Related **Record** Not Found - HELP!](#) - microsoft.public.access.formsc ... - Oct 25, 2001
[List of user saved queries...new question](#) - microsoft.public.access.querie ... - Jul 10, 2002

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google ▾	<input type="text"/>	▼	 Search ▾	 377 blocked	 Check ▾	 Autolink ▾	 Autofill
----------	----------------------	---	--	---	---	--	--

2002 first table record creating delet	Search
--	---------------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 56,700 for **2002 olap first table record creating deleted records**. (0.14 seconds)

[Microsoft SQL Server - Deleting Duplicate Records - SQLTeam.com](#)

It has duplicate **records**. The duplicate **records** have to be **deleted** (eg ... I use this script to **create** a **table** called dup_authors in the pubs database. ...

[www.sqlteam.com/item.asp?ItemID=3331](#) - 19k - [Cached](#) - [Similar pages](#)

[Microsoft SQL Server - Performing a Cascade Delete in SQL Server 7 ...](#)

If you **delete** a **record** from a parent **table**, all relating **records** in the child **tables** ...

CREATE Procedure spDeleteRows /* Recursive row **delete** procedure. ...

[www.sqlteam.com/item.asp?ItemID=8595](#) - 23k - [Cached](#) - [Similar pages](#)

[Maintaining time-sorted aggregation records representing ...](#)

If there are a significant number of database **records**, **OLAP** cubes can often ... **First**, a single-column **table** named RTA_Mutex 1000 is created ("**create table** ...

[www.freepatentsonline.com/7149736.html](#) - 88k - [Cached](#) - [Similar pages](#)

[Method for maintaining information about multiple instances of an ...](#)

For each of the **records deleted** from the **first table** after creation of the ... for **records** in the **first table**, generating a second **OLAP** cube for **records** in ...

[www.freepatentsonline.com/20050071341.html](#) - 69k - [Cached](#) - [Similar pages](#)

[Writing Back Time](#)

Write-back lets users change the underlying values stored in an **OLAP** cube. ... **Creating** the DTS task to move the **records** to the fact **table** is fairly ...

[msdn2.microsoft.com/en-us/library/aa176076\(SQL.80\).aspx](#) - 20k - [Cached](#) - [Similar pages](#)

[Detecting Changed Data - Data Management & Warehousing Portal ...](#)

The **first** step is to **create** the NEW_AND_MOD **table**, which will contain all the new ... DEL_AND_MOD will contain all the **deleted** and modified **records** and is ...

[www.datamgmt.com/index.php?module=article&view=66](#) - 49k - [Cached](#) - [Similar pages](#)

[PivotTable reports 101 - Excel - Microsoft Office Online](#)

To **create** a PivotTable report, you **first** use the PivotTable and PivotChart ... A PivotTable report and the underlying detail **records** for one of its cells ...

[office.microsoft.com/en-us/excel/HA010346321033.aspx](#) - 72k - [Cached](#) - [Similar pages](#)

[Microsoft Access Tips](#)

Now **create** an append query to append the **record** in the second **table** to the **first table** and run the query. You can now **delete** the second **table** and begin ...

[www.dataschenk.com/wfmTipsMicrosoftAccess.aspx](#) - 27k - [Cached](#) - [Similar pages](#)

[\[PDF\] SQL:2003 Has Been Published](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **first CREATE TABLE** statement, the definition of ... C3 CHAR(30)); **CREATE TABLE** T2 (LIKE T1, 122 SIGMOD **Record**, Vol. 33, No. 1, March 2004 ...

[www.sigmod.org/record/issues/0403/E.JimAndrew-standard.pdf](#) - [Similar pages](#)

[Opamp Title-Keyword, Author & ISBN Search Results](#)

Viewing Related **Records** in the Datasheet View. **Creating Multi-Table** Queries. ... Absolute Beginner's Guide to Microsoft Access 2002, 1st Ed. ...

[opamp.com/cf/keyword.cfm?SRow=1&Keywords=ACCESS+MICROSOFT](#) - 81k -

[Cached](#) - [Similar pages](#)

Google Groups results for 2002 olap first table record creating deleted records



[FW: ARSLIST Digest - 4 Jun 2002 to 5 Jun 2002 \(#2002-176 ...](#) - Remedy ARS - Dec 11, 2004

[SQL - and COM rematch](#) - comp.lang.misc - Jun 16, 2005

[COM skool](#) - uk.community.social-housing - Jun 22, 2005

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

RESULT LIST

Approximately **131** results found in the Worldwide database for:
database in the title AND **instances** in the title or abstract
(Results are sorted by date of upload in database)

- 1 MAPPING OF A FILE SYSTEM MODEL TO A DATABASE OBJECT.**
Inventor: NEWMAN MICHAEL J (US) Applicant: MICROSOFT CORP (US)
EC: IPC: (IPC1-7): G11C11/4093
Publication info: **MXPA06002334** - 2006-09-27
- 2 AN EFFICIENT MECHANISM FOR TRACKING DATA CHANGES IN A DATABASE SYSTEM**
Inventor: ACHARYA SRINIVASMURTHY P (US); ELLIS NIGEL R (US); (+3) Applicant: MICROSOFT CORP (US)
EC: IPC: **G06F17/00; G06F17/30; G06F17/00** (+1)
Publication info: **CA2539146** - 2006-10-29
- 3 SELECTION OF DATABASE INSTANCE**
Inventor: LUO FEI (US) Applicant: BEA SYSTEMS INC (US); LUO FEI (US)
EC: IPC: **G06F17/30; G06F17/30**
Publication info: **WO2006112908** - 2006-10-26
- 4 Use of retry period in an application server to ensure that status information is sent from first to second database instance**
Inventor: LUO FEI (US) Applicant: BEA SYSTEMS INC (US)
EC: IPC: **G06F17/30; G06F17/30**
Publication info: **US2006235853** - 2006-10-19
- 5 METHOD FOR MANAGING TELECOMMUNICATION MANAGEMENT NETWORK BASED NETWORK USING RELATIONAL DATABASE**
Inventor: OK GI SANG (KR); SO RA (KR) Applicant: KOREA TELECOMMUNICATION (KR)
EC: IPC: **H04L12/24; H04L12/24; (IPC1-7): H04L12/24**
Publication info: **KR20010056484** - 2001-07-04
- 6 Incremental evaluation of complex event-condition-action rules in a database system**
Inventor: YALAMANCHI ARAVIND (US) Applicant:
EC: IPC: **G06N5/02; G06N5/00**
Publication info: **US2006224542** - 2006-10-05
- 7 Web-based consumer loan database with automated controls for preventing predatory lending practices**
Inventor: GOLDBLATT JOEL N (US); NADAL WILLIAM T (US) Applicant:
EC: IPC: **G06Q40/00; G06Q40/00**
Publication info: **US2006218079** - 2006-09-28
- 8 METHOD FOR MANAGING PERFORMANCE OF DATABASE**
Inventor: SO GYEONG PIL (KR) Applicant: SAMSUNG S D S CO LTD (KR)
EC: IPC: **G06F17/40; G06F17/40; (IPC1-7): G06F17/40**
Publication info: **KR20030056121** - 2003-07-04
- 9 Database instance decommissioning system and method**
Inventor: HICKS SCOTT D (US); MARTIN JAMES A JR (US); (+2) Applicant: IBM (US)
EC: **G06F17/30B** IPC: **G06F17/30; G06F17/30**
Publication info: **US2006206528** - 2006-09-14
- 10 Database instance management system and method**
Inventor: HICKS SCOTT D (US); MARTIN JAMES A JR Applicant: IBM (US)

(US); (+2)

EC:

IPC: **G06F7/00; G06F7/00**

Publication info: **US2006200485** - 2006-09-07

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

Approximately **131** results found in the Worldwide database for:
database in the title AND **instances** in the title or abstract
(Results are sorted by date of upload in database)

11 Network adapter with shared database for message context information

Inventor: KAGAN MICHAEL (IL); CRUPNICOFF DIEO (AR); (+2)
EC:

Applicant:

IPC: G06F15/16; G06F15/16

Publication info: US2006168086 - 2006-07-27

12 Value-instance-connectivity computer-implemented database

Inventor: TARIN STEPHEN A (US)
EC: G06F17/30S5

Applicant: REQUIRED TECHNOLOGIES INC (US)

IPC: G06F17/30; G06F15/16; G06F15/16 (+1)

Publication info: US7076507 - 2006-07-11

13 System for deterministic database recovery time

Inventor: CHERKAUER KEVIN J (US); LASHLEY SCOTT D (US); (+2)
EC:

Applicant:

IPC: G06F17/30; G06F17/30

Publication info: US2006101083 - 2006-05-11

14 Method for reduced signon, using password synchronization instead of a credential database and scripts

Inventor: SHOHAM IDAN (CA)
EC:

Applicant:

IPC: G06F17/30; G06F17/30

Publication info: US2006031926 - 2006-02-09

15 Synchronization of application documentation across database instances

Inventor: LOCKE VICTORIA A (US); MARTIN JAMES A JR (US); (+1)
EC:

Applicant: IBM (US)

IPC: G06F17/30; G06F17/30

Publication info: US2006020643 - 2006-01-26

16 Synchronization of application rules across database instances

Inventor: HICKS SCOTT D (US); LOCKE VICTORIA A (US); (+1)
EC:

Applicant: IBM (US)

IPC: G06F17/30; G06F17/30

Publication info: US2006020642 - 2006-01-26

17 Performance metric-based selection of one or more database server instances to perform database recovery

Inventor: POMMERENK STEFAN (US); COLRAIN CAROL (US); (+2)
EC:

Applicant: ORACLE INT CORP (US)

IPC: G06F12/00; G06F12/00

Publication info: US2006015542 - 2006-01-19

18 System and method for providing user defined types in a database system

Inventor: VENKATESH RAMACHANDRAN (US); FANG JUN (US); (+4)
EC:

Applicant: MICROSOFT CORP (US)

IPC: G06F7/00; G06F17/00; G06F17/30 (+4)

Publication info: US2005177585 - 2005-08-11

19 System and method for object persistence in a database store

Inventor: VENKATESH RAMACHANDRAN (US); SEZGIN BEYSIM (US); (+2)
EC: G06F17/30B

Applicant: MICROSOFT CORP (US)

IPC: G06F17/30; G06F17/30; (IPC1-7): G06F7/00

Publication info: US2005120048 - 2005-06-02

20 System and method for segmented evaluation of database queries

Inventor: GALINDO-LEGARIA CESAR A (US); GRAEFE **Applicant:** MICROSOFT CORP (US)

GOETZ (US); (+2)

EC: G06F17/30S1R

IPC: *G06F7/00*; *G06F7/00*; (IPC1-7): G06F7/00

Publication info: **US2005097100** - 2005-05-05

Data supplied from the *esp@cenet* database - Worldwide

RESULT LIST

Approximately **131** results found in the Worldwide database for:
database in the title AND **instances** in the title or abstract
(Results are sorted by date of upload in database)

21 Techniques for changing XML content in a relational database

Inventor: MANIKUTTY ANAND (US); KRISHNAPRASAD MURALIDHAR (US); (+6)
Applicant:

EC: G06F17/30T; G06F17/30X7

IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/00

Publication info: **US2005044113** - 2005-02-24

22 Method for mapping a hierarchical technical system in a relational database

Inventor: NUEBLING MARKUS (DE)

Applicant:

EC: G06F17/30S3

IPC: G06F7/00; G06F17/30; G06F7/00 (+2)

Publication info: **US2005102262** - 2005-05-12

23 SYSTEM AND METHOD FOR STORING AND RETRIEVING XML DATA ENCAPSULATED AS AN OBJECT IN A DATABASE STORE

Inventor: PAL SHANKAR (US); VANKATESH RAMACHANDRAN (US); (+5)

Applicant: MICROSOFT CORP (US); PAL SHANKAR (US); (+6)

EC:

IPC: G06F7/00; G06F7/00; H04L (+1)

Publication info: **WO2005046103** - 2005-05-19

24 Method for persisting a schedule and database schema

Inventor: MCCRADY DONALD J (US); MITAL AMIT (US); Applicant: MICROSOFT CORP (US)
(+1)

EC: G06F17/30S1; G06Q10/00F

IPC: G06Q10/00; G06Q10/00; (IPC1-7): G06F7/00

Publication info: **US2005004888** - 2005-01-06

25 System and method for segmented evaluation of database queries

Inventor: GALINDO-LEGARIA CESAR A (US); GRAEFE GOETZ (US); (+2)
Applicant: MICROSOFT CORP (US)

EC: G06F17/30S1R

IPC: G06F7/00; G06F17/30; G06F7/00 (+2)

Publication info: **US2004205078** - 2004-10-14

26 System and method for providing user defined aggregates in a database system

Inventor: BLAKELEY JOSE A (US); ZHANG HONGANG (US); (+6)
Applicant: MICROSOFT CORP

EC: G06F17/30S1R; G06F17/30S3

IPC: G06F7/00; G06F17/30; G06F7/00 (+2)

Publication info: **US2005177579** - 2005-08-11

27 System for heterogeneous distributed transaction management in database systems

Inventor: MURTHY RAGHUPATHI K (US)

Applicant:

EC: G06F17/30B

IPC: G06F17/30; G06F17/30; (IPC1-7): G06F17/30

Publication info: **US2005182795** - 2005-08-18

28 HIERARCHIAL DATABASE MANAGEMENT SYSTEM, METHOD AND PROGRAM

Inventor: MURAYAMA HIROSHI; MINAMINO NORIKO

Applicant: TOKYO SHIBAURA ELECTRIC CO

EC:

IPC: G06F12/00; G06F12/00; (IPC1-7): G06F12/00

Publication info: **JP2005196357** - 2005-07-21

29 Configuration management resource specification database design

Inventor: CARROLL TIMOTHY J (US); KING DAVID G (CA); (+2)
Applicant:

EC:

IPC: G06F9/46; G06F9/46; (IPC1-7): G06F9/46

Publication info: **US2005138625** - 2005-06-23

30 Method, system and mechanism to multiplex multiple application server requests over a single database connection

Inventor: BIRD PAUL M (CA); BIRELEY WILLIAM R (US); (+7)

Applicant:

EC: G06F17/30B; G06F17/30C

IPC: G06F15/16; G06F15/173; G06F15/16 (+2)

Publication info: US2005144276 - 2005-06-30

Data supplied from the **esp@cenet** database - Worldwide

RESULT LIST

3 results found in the Worldwide database for:

multiple in the title AND **instances and records** in the title or abstract

(Results are sorted by date of upload in database)

1 Self-maintaining real-time data aggregations

Inventor: CHKODROV GUEORGUI BONOV (US); JASON Applicant: MICROSOFT CORP (US)

RICHARD ZACHARY (US); (+2)

EC: G06F17/30B; G06F17/30C; (+1)

IPC: **G06Q10/00; G06F12/00; G06F17/30** (+4)

Publication info: **US2005071320** - 2005-03-31

2 Multiple audit trails in workflow-management-systems

Inventor: LEYMANN FRANK (DE); ROLLER DIETER (DE) Applicant: IBM (US)

EC: G06Q10/00F

IPC: **G06Q10/00; G06Q10/00**; (IPC1-7): G06F17/60

Publication info: **US2002077945** - 2002-06-20

3 Method and system for using process identifier in output file names for associating profiling data with multiple sources of profiling data

Inventor: BERRY ROBERT FRANCIS (US); EDMARK Applicant: IBM (US)

RONALD O'NEAL (US); (+2)

EC:

IPC: **G06F9/44; G06F9/45; G06F9/44** (+2)

Publication info: **US6754890** - 2004-06-22

Data supplied from the **esp@cenet** database - Worldwide